

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,537	09/15/2003	Raita Doi	040894-5955	8035
9629	7590 04/04/2006		EXAMINER	
	LEWIS & BOCKIUS	TAWFIK, SAMEH		
	SYLVANIA AVENUE N FON, DC 20004	ıw.	ART UNIT	PAPER NUMBER
	,		3721	
		DATE MAIL ED: 04/04/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	n No.	Applicant(s)				
Office Action Summary		10/661,53		DOI, RAITA				
		Examiner		Art Unit				
		Sameh H.	Tawfik	3721				
	The MAILING DATE of this communic			orrespondence ad	Idress			
Period fo	r Reply							
THE I - Exter after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FO MAILING DATE OF THIS COMMUNIC nsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commun period for reply specified above is less than thirty (30) a period for reply is specified above, the maximum stature to reply within the set or extended period for	ATION. 37 CFR 1.136(a). In no evenication. days, a reply within the statutory period will apply and will lby statute. cause the appl	nt, however, may a reply be tim tory minimum of thirty (30) days I expire SIX (6) MONTHS from cation to become ABANDONEI	nely filed s will be considered time the mailing date of this c O (35 U.S.C. § 133).	ly. ommunication.			
Status								
1)	Responsive to communication(s) filed	on 09 February 200	<u>06</u> .					
2a)□	This action is FINAL . 2b)⊠ This action is non-final.							
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
5)□ 6)⊠ 7)□	 ✓ Claim(s) <u>1-35</u> is/are pending in the application. 4a) Of the above claim(s) <u>12-15,17 and 22-30</u> is/are withdrawn from consideration. ☐ Claim(s) is/are allowed. 							
Applicati	on Papers							
9)□	The specification is objected to by the	Examiner.						
10)	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)	The oath or declaration is objected to t	by the Examiner. No	te the attached Office	Action or form P	ГО-152.			
Priority u	ınder 35 U.S.C. § 119							
a)[Acknowledgment is made of a claim for All b) Some * c) None of: 1. Certified copies of the priority do 2. Certified copies of the priority do 3. Copies of the certified copies of application from the International See the attached detailed Office action	ocuments have bee ocuments have bee f the priority docume al Bureau (PCT Rule	n received. n received in Application nts have been receive e 17.2(a)).	on No ed in this National	Stage			
Attachmen	t(s)		_					
	e of References Cited (PTO-892)	0.048)	4) Interview Summary Paper No(s)/Mail Da					
3) Inform	e of Draftsperson's Patent Drawing Review (PTo mation Disclosure Statement(s) (PTO-1449 or P r No(s)/Mail Date		5) Notice of Informal P. 6) Other:		0-152)			

Art Unit: 3721

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-10, 16, 18-21, and 31-35 are rejected under 35 U.S.C. 102(b) as being anticipated by Viens (5,554,094).

Viens discloses a sheet folding apparatus comprising a sheet folding unit which applies at least letter folding on a sheet (Figs. 1, 2-4, 5A, 5B, and 6A); an auto folding mode selecting device (via folding station 12 and a computer processing unit including two keyboard/monitor units 14A and 14B; column 4, lines 24-27) which selectively causes the sheet folding unit to operate in one of a plurality of folding modes including at least letter C-folding, letter Z-folding, and Z-folding (Figs. 1-4; column 4, lines 40-44 and 61-64 and column 2, lines 21-23; via the different types folds accomplished by folding apparatus 12).

Note that as disclosed in column 4, line 64 "the folding apparatus 12 is set up by the user."; the "user" could automatically select which folding mode to use as in column 4, lines 24-27 "A computer processing unit (not shown) including two key board/monitor units 14A, 14B allows the user to track the operation of the system 10."

Regarding claim 2: further comprising a control device which controls the sheet folding unit in accordance with a folding mode selected by the folding mode selecting device (column 4, lines 24, 25, and 31-36) via the computer processing unit monitor each document 18 as it

Art Unit: 3721

proceeds through the system and as shown in Figs. 2-4 document 18 in C fold, Z fold, or half fold done by the folding apparatus 12 as shown in Fig. 5A.

Regarding claim 4: wherein the sheet folding unit (12) comprises a plurality of folding mechanisms in a sheet path (Figs. 5A and 5B).

Regarding claim 5: wherein at least one of the folding mechanisms comprises a folding position changing mechanism which can change a sheet folding position (Figs. 5A; via adjustable stoop 74 and 86).

Regarding claim 6: wherein among the folding mechanisms an upstream folding mechanism comprises a skew correcting mechanism which applies skew correction on the sheet (Figs. 5A and 5e) via when the sheets stop by the adjustable stop 86 will cause the sheet to curve and fold as shown in Fig. 5e.

Regarding claim 7: wherein at least one of the folding mechanisms comprises a folding member which is disposed in a sheet path to nip-transport the sheet (Fig. 5A; via 80 and 90); a transport member (Fig. 5A; via in-feed device 42, 60, 62 and nip 76) which is disposed in the sheet path upstream from the folding member (80 and 90) to nip-transport the sheet; and a tip end guide member (via adjustable stop 86) which is disposed in the sheet path upstream from the folding member (80 and 90) to restrict a position of a tip end of the sheet.

Regarding claim 8: wherein the folding mechanism comprises a folding position changing mechanism which moves the tip end guide member (86) that is movable, to enable a sheet folding position to be changed (Fig. 5B).

Regarding claim 9: wherein in the folding mechanism (80 and 90) a skew correcting mechanism which applies skew correction on the sheet configured by the transport member

Art Unit: 3721

which can perform nipping (via 76) and releasing operations, and the tip end guide member (86), see for example (Figs. 5A and 5e).

Regarding claim 10: wherein after tip end of the sheet butts against the tip end guide member (86), the skew correcting mechanism causes the transport member (76) to transport the sheet by a short distance to form a loop on a side of the tip end of the sheet (Fig. 5e) and thereafter causes the transport member to perform the releasing operation (Figs. 5A and 5e; via to allow the sheets to go through the folding mechanism 80 and 90).

Regarding claim 18: further comprising a sheet folding postprocessing apparatus (Fig. 5A; via 12) which applies a predetermined postprocess on a sheet that has been subjected to a folding process by the sheet folding apparatus, see for example (Figs. 1 and 5A).

Regarding claim 19: further comprising a control device which controls at least the sheet folding apparatus and the sheet folding postprocessing apparatus in accordance with a postprocessing mode applied on the sheet (column 4, lines 24, 25, and 31-36) via the computer processing unit monitor each document 18 as it proceeds through the system and as shown in Figs. 2-4 document 18 in C fold, Z fold, or half fold done by the folding apparatus 12 as shown in Fig. 5A.

Regarding claim 20: wherein the control device houses a letter-folded sheet into a sheet accommodating device in the sheet folding apparatus, under conditions of performing a letter folding process on the sheet by the sheet folding apparatus (Figs. 2-4, 5A, and 5B).

Regarding claim 21: wherein the control device guides a folded sheet to the sheet folding postprocessing apparatus, under conditions of performing Z-folding (Fig. 2) other than letter folding on the sheet by the sheet folding apparatus (Fig. 5A).

Art Unit: 3721

Regarding claim 31: wherein the plurality of modes of folding include letter C-folding, letter Z-folding and size A3 Z-folding (Figs. 5B, 6B, and 7B).

Regarding claim 32: wherein the sheet folding unit includes a plurality of folding mechanisms in the sheet path, at least one of the folding mechanisms includes a folding member (Fig. 5A; via roller 80 and 90) which is disposed in the sheet path to nip-transport the sheet; a transport member (Fig. 5; via rollers 78 and 80) which is disposed in the sheet path upstream from the folding member to nip-transport the sheet; and a tip end guide member (Fig. 5; via adjustable 86) which is disposed in the sheet path upstream from the folding member (80 and 90) to restrict a position of a tip end of the sheet, a plurality of modes of folding can be applied on the sheet by moving the tip end guide member that is movable (Figs. 5A, 6A, and 7A)

Regarding claim 33: Viens discloses the sheet folding unit which applies folding on a sheet as the sheet proceeds along a single sheet path (column 4, lines 61-64; via 12); includes a plurality of folding mechanisms in the sheet path, at least one of the folding mechanisms includes a folding member (Fig. 5A; via roller 80 and 90) which is disposed in the sheet path to nip-transport the sheet; a transport member (Fig. 5; via rollers 78 and 80) which is disposed in the sheet path upstream from the folding member to nip-transport the sheet; and a tip end guide member (Fig. 5; via adjustable 86) which is disposed in the sheet path upstream from the folding member (80 and 90) to restrict a position of a tip end of the sheet, a folding modes can be applied on the sheet by moving the tip end guide member that is movable (Figs. 5A, 6A, and 7A); wherein one of a plurality of folding modes can be applied on the sheet as the sheet proceeds along a single path (Figs. 5A, 6A, 7A, 8A, and 9A).

Art Unit: 3721

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Viens (5,554,094).

Viens discloses a feeding mechanism nips the sheet that has subjected to skew correction by the skew correcting mechanism, by the transport member (via nip 76) and feeds the sheet that has been subjected to skew correction to the folding member (Figs. 5A and 5e; via 80 and 90). Viens does not disclose that setting a transportation speed of the transport member to a speed which is equal to or lower than a speed of the folding member. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Viens's folding apparatus by setting a transportation speed of the transport member to a speed which is equal to or lower than a speed of the folding member, as a matter of engineering design choice, since the examiner takes an official notice that having two different speed in same apparatus such as the feeding speed different than the folding speed is old, well known, and available in the art, in order to improve and avoid any jam in the folding apparatus.

Art Unit: 3721

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sameh H. Tawfik whose telephone number is 571-272-4470. The examiner can normally be reached on Tuesday - Friday from 8:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sameh H. Tawfik Patent Examiner Art Unit 3721

ST.